

**DOUGLAS COUNTY
HIGHWAY DEPARTMENT
CONTRACT**

2021

**GRAVEL/CRUSHED AGGREGATE
PRODUCTION AND/OR PLACEMENT**

GRAVEL/CRUSHED AGGREGATE PRODUCTION AND/OR PLACEMENT

Notice is hereby given by the Douglas County Highway Department of Douglas County, Wisconsin, that it will receive sealed bids for providing crushed aggregate course or providing, hauling, placement and shaping crushed aggregate base course until 10:30 A.M. Local Time, on the 18th day of March 2021, in the office of the Douglas County Highway Department, 7417 S. County Road E, Hawthorne, Wisconsin 54873. Bids will be opened via teleconference and read aloud at that time. Members of the media and public may attend by calling +1 929-277-6126. The PIN Number is 894 416 095#. Contract documents may be obtained via www.douglascountywi.org or by calling the Douglas County Highway Department at 715-374-2575.

ESTIMATE OF QUANTITIES

1- 1/4" Base Aggregate Dense 27,000 to 30,000 tons

3/4" Base Aggregate Dense 5,000 to 8,000 tons

Mn DOT FA-2.5 Chip Aggregate 1,000 tons

The owner reserves the right to reject any or all bids.

Date: March 2, 2021
Name: Jason J. Jackman
Title: Highway Commissioner

PROPOSAL

The undersigned bidder, submitting this proposal, hereby declares and agrees to be bound, and to perform the work, in accordance with all terms, conditions and requirements of the within and foregoing proposal, the Contract, the applicable specifications, the special provisions, and the Advertisement for Bid are made a part hereof as fully and completely as if attached hereto.

PROPOSAL, submitted by _____ BIDDER

of _____
(Sole Owner, co-Partnership or Corporation)

By _____
BIDDER MUST SIGN ON THIS LINE

IF A CORPORATION: Incorporated under laws of what state _____

ADDRESS _____

PHONE _____

INSTRUCTIONS TO BIDDERS

The Douglas County Highway Department is seeking bids for Crushed Aggregate Base Course to be provided for various highway construction projects.

The successful bidder will be required to comply with the County's responsible bidder Ordinance #1.32. See the attached Ordinance.

Provide price per ton produced and if loaded into Douglas County trucks from pit/quarry listed on Bid Form.

Questions can be direct to Jason Jackman, Highway Commissioner of Douglas County Highway Department, 715-374-2575.

OFFICIAL BID FORM

Gravel/Crushed Aggregate Production and/or Placement WisDOT 3/4" and 1-1/4" Dense Graded Base Course Douglas County Highway Department

Project #33130-401-010, CTH G – East Mail Road to CTH Y
5.35 miles

Note: The remaining 5 miles of CTH G scheduled for 2022

Company Name Submitting Bid

Pit/Quarry Name and Location: _____

Anticipated Date Material Will Be Available: _____

County Pickup and Haul				
Item No.	Item	Estimated Quantity	Unit Price In Figures	Amount of Bid
1A	1-1/4 Inch	17,000 Tons @	\$ _____ / Ton =	\$ _____
1B	3/4 Inch	4,000 Tons @	\$ _____ / Ton =	\$ _____
TOTAL BID PRICE:				\$ _____

Bid includes a Loader and Operator (circle one): Y or N

OFFICIAL BID FORM

Gravel/Crushed Aggregate Production and/or Placement WisDOT 3/4" and 1-1/4" Dense Graded Base Course Douglas County Highway Department

Project #33130-350-010, CTH Z – CTH A to Lyman Lake Road
2.43 miles

Company Name Submitting Bid

Pit/Quarry Name and Location: _____

Anticipated Date Material Will Be Available: _____

County Pickup and Haul				
Item No.	Item	Estimated Quantity	Unit Price In Figures	Amount of Bid
1A	1-1/4 Inch	7,400 Tons @	\$ _____ / Ton =	\$ _____
1B	3/4 Inch	1,400 Tons @	\$ _____ / Ton =	\$ _____
TOTAL BID PRICE:				\$ _____

Bid includes a Loader and Operator (circle one): Y or N

OFFICIAL BID FORM

Gravel/Crushed Aggregate Production and/or Placement WisDOT 3/4" and 1-1/4" Dense Graded Base Course Douglas County Highway Department

Project #33130-402-010, CTH U – CTH UU to STH 13
1.0 miles

Company Name Submitting Bid

Pit/Quarry Name and Location: _____

Anticipated Date Material Will Be Available: _____

County Pickup and Haul				
Item No.	Item	Estimated Quantity	Unit Price In Figures	Amount of Bid
1A	1-1/4 Inch	3,000 Tons @	\$ _____ / Ton =	\$ _____
1B	3/4 Inch	550 Tons @	\$ _____ / Ton =	\$ _____
TOTAL BID PRICE:				\$ _____

Bid includes a Loader and Operator (circle one): Y or N

OFFICIAL BID FORM

Gravel/Crushed Aggregate Production and/or Placement WisDOT 3/4" and 1-1/4" Dense Graded Base Course Douglas County Highway Department

Project #33130-403-010, CTH W – CTH UU to STH 13
0.55 miles

Company Name Submitting Bid _____

Pit/Quarry Name and Location: _____

Anticipated Date Material Will Be Available: _____

County Pickup and Haul				
Item No.	Item	Estimated Quantity	Unit Price In Figures	Amount of Bid
1A	1-1/4 Inch	1,600 Tons @	\$ _____ / Ton =	\$ _____
1B	3/4 Inch	300 Tons @	\$ _____ / Ton =	\$ _____
TOTAL BID PRICE:				\$ _____

Bid includes a Loader and Operator (circle one): Y or N

OFFICIAL BID FORM

**Gravel/Crushed Aggregate Production and/or Placement
WisDOT ¾" Dense Graded Base Course
Douglas County Highway Department**

Project #33130-400-008, CTH E – Orchard Drive south 1 mile
1.0 miles

Company Name Submitting Bid

Pit/Quarry Name and Location: _____

Anticipated Date Material Will Be Available: _____

County Pickup and Haul				
Item No.	Item	Estimated Quantity	Unit Price In Figures	Amount of Bid
1A	¾ Inch	350 Tons @	\$ _____ / Ton =	\$ _____
			TOTAL BID PRICE: \$	

Bid includes a Loader and Operator (circle one): Y or N

OFFICIAL BID FORM

Crushed Aggregate Production for Chip Seal MnDOT FA – 2.5 Douglas County Highway Department

Company Name Submitting Bid

Pit/Quarry Name and Location: _____

Anticipated Date Material Will Be Available: _____

County Pickup and Haul				
Item No.	Item	Estimated Quantity	Unit Price In Figures	Amount of Bid
1A	MN FA2.5	1,000 Tons @	\$ _____ / Ton =	\$ _____
TOTAL BID PRICE:				\$ _____

FA -2.5 Chip – See Mn Special Provisions – SP2005 Book for full specification

Sieve Size	(% passing)	QC Range %
12.5 mm [1/2 inch]	100	
9.5 mm [3/8 inch]	100	5
6.3 mm [1/4 inch]	0 – 80	7
4.75 mm [#4]	0 - 50	7
2.36 mm [#8]	0 - 5	4
1.18 mm [#16]	---	4
300 um [#50]	---	4
150 um [#100]	---	4
75 um [#200]	0.0 – 1.0	
% Shale Mn/DOT 1209	5	
Flakiness Index, max %, FHL T508	25	

Bid includes a Loader and Operator (circle one): Y or N

**SPECIAL PROVISIONS
DIVISION A**

A-1 Governing Specifications

The Wisconsin Department of Transportation "Standard Specifications for Highway and Structure Construction," 2021 Edition, as amended by Supplemental Specifications, shall apply on this contract except as modified or altered in the following special provisions.

A-2 Proposal Requirements and Conditions

The bidder, signing and submitting this proposal, agrees and declares as a condition thereof, to be bound by the following conditions and requirements. **Proposals must be fully completed on the attached official bid form to be considered.**

The bidder declares that they have carefully examined the site of, and the proposal, plans, specifications and contract forms for the work contemplated, and it is assumed that the bidder has investigated and is satisfied as to the conditions to be encountered, as to the character, quality, and quantities of work to be performed and materials to be furnished, and as to the requirements of the specifications, special provisions and contract. It is mutually agreed that submission of a proposal shall be considered conclusive evidence that the bidder has made such examination.

The bidder declares that they understand that the **estimate of quantities** in the attached schedule **is approximate** only and that the attached quantities may be greater or less in accordance with the specifications.

The bidder agrees to perform the said work, for and in consideration of the payment of the amount becoming due on account of work performed, according to the unit prices bid in the following schedule, and to accept such amounts in full payment of said work.

The bidder declares that all of the said work will be performed at their own proper cost and expense, that they will furnish all necessary materials, labor, tools, machinery, apparatus, and other means of construction in the manner provided in the applicable specifications and the approved plans for the work together with all standard and special designs that may be designed on such plans, and the special provisions in the contract of which this proposal will become a part, if and when accepted. The bidder further agrees that the applicable specifications and all plans and working drawings are made a part hereof, as fully and completely as if attached hereto.

SPECIAL PROVISIONS

DIVISION B

B-1 (103.2) Award of Contract

The provisions of Specification 103.2 are hereby supplemented by the following:

As a condition precedent to the award of contract, the bidder shall furnish proof that he is in compliance with Wisconsin Statutes 102.07 P8 (b.).

B-2 Basis of Payment

The County will pay for measured quantities at the contract unit price per ton. Quantities will be measured from contractor supplied weight tickets from a certified scale.

B-3 Safety and OSHA Requirements

The contractor and subcontractors agree to hold the County harmless against any citation, penalty or claim arising under alleged violation(s) of Safety and Health covered under Wisconsin laws, rules and regulations. The contractor assumes full responsibility to provide his employees and inspectors of the County with a safe and healthful work place within the boundaries of the project area(s) through the use of proper signing, flagmen, employee right to know and other necessary protective procedures

B-4 Contractor's and Subcontractor's Insurance

Contractor hauling, placing and shaping shall furnish and deliver to the owner a certificate of insurance for worker's compensation and an umbrella certificate of liability and property insurance in the minimum amount of three million dollars (\$3,000,000) before beginning work and shall notify the owner immediately of any cancellation or change in insurance coverage.

The Contractor shall not commence work under this contract until he has obtained all the insurance required under this paragraph and such insurance has been approved by the County of Douglas, nor shall the Contractor allow any subcontractor to commence work on his subcontract until the insurance required of the subcontractor has been so obtained and approved.

PROOF OF CARRIAGE OF INSURANCE: The Contractor shall furnish the County of Douglas with certificates showing the type, amount, class of operations covered, effective dates and dates of expiration of policies.

**SPECIAL PROVISIONS
DIVISION B
(CONTINUED)**

WORKER'S COMPENSATION INSURANCE: For all his employees employed at the site of the Project and, in case any work is sublet, the Contractor shall require the subcontractor to provide Worker's Compensation Insurance for all his employees.

B-5 Responsibility for Damage Claims

The Contractor shall indemnify and save harmless the State of Wisconsin, the County of Douglas, their officers and employees from all suits, actions and claims of any character brought because of injuries or damages received or sustained by any person, persons or property on account of the operations of the said Contractor; or on account of or in consequence of any act or omission, neglect, or misconduct of said Contractor; or because of any claims arising or amounts recovered from infringements of patent, trademark or copyright; or because of any claims arising or amounts recovered under the Worker's Compensation Act; or under any other law, ordinance, order or decree.

**SPECIAL PROVISIONS
DIVISION C**

C-1 Aggregates

The material to be provided under this contract is to be used for crushed aggregate base course for road base and shouldering. WI/DOT specification 305 Dense Graded Base shall be adhered to.

C-2 Increased or Decreased Quantities of Work

The County reserves the right to increase or decrease the by the amount of 20% without any adjustment in the unit price.

C-3 Material Acceptance

The County will accept material based on test results from production testing as per State of Wisconsin Standard Specifications and Construction and Materials Manual. The contractor shall provide to the County test results from for each type of material. Random verification testing will be performed by the County.

C-4 Nonconforming Material

Douglas County does not want material that does not meet contract specifications and reserves the right to reject any and all nonconforming material.

C-5 Measurement of Quantities

Material will be measured by the weight of material per ton from a certified scale.